

Our Products of Hand Feeding Formula







Recommended by Veterinary Doctors



Health-18

Health-18 is a carefully formulated instant mix with hand-picked ingredients, to provide the essential nutrients found in wild nectar to meet the vital growth needs of nectar-feeding baby birds.

This hand feeding formulation hails from our esteemed bird breeding farm, one of the India's largest and most reputed establishment.

Now, the benefits enjoyed by our entire bird population are within your reach, ensuring optimal daily nutrition for your cherished baby birds. Experience the healthy growth and vibrant colors with our product.



Ingredients:

Cereals, Milk solids, Vegetable protein extracts, Vegetable fats, Fructose, Fruits and Vegetables, Vitamins, Minerals, Prebiotics, Multi-strain probiotics, Multi-enzymes, Natural fruit flavour and Natural anti-oxidant.

Analytical Constituents:

- Moisture (max): 5%
- Crude protein (min): 18%
- Crude fat (min): 7%
- Crude fibre (max): 1.5%
- Crude ash (max): 7%
- Gross energy: 3800 kcal/kg

Nutritional Additives:

Vitamins A, β- carotene, Vitamin D, Vitamin E, Vitamin K, Vitamin B1, Vitamin B2, Vitamin B3, Vitamin B5, Vitamin B6, Vitamin B7, Vitamin B9, Vitamin B12, VitaminC, Choline chloride Calcium, Phosphorous, Magnesium, Sodium, Iodine, Copper, Manganese, Zinc, Selenium.

Zoo Technical Additives:

Multi-strain probiotics & Multi-enzymes.

Technical Additives:

Natural anti-oxidant.

AGE	VOLUME	
	HEALTH 18	WATER
Day1 to Weaning	1 Part	3 Parts

Storage instruction:

Once opened, keep air tight and store in cool, dry and hygienic conditions.



Procedure for using Hand Feeding Formula



Mix 1 part of hand feeding formula (Health-18/ Health-19) in three parts of warm water (40-42°C).

> Stir the mixture thoroughly to attain a soft and smooth textured porridge.

Feed the mix to the chick, equivalent to 10% of its body weight at right temperature (37-39 °C) using a sterile crop tube, syringe or spoon.

Strictly adhere to the feed preparation pattern to balance the supplementation of vital nutrients.

G

The feeding frequencies per day vary depending on the age and species of baby bird.

Note:

Ensure that all feeding utilities used during feed preparation are clean and sterile. Avoid boiling the hand feeding formula to retain the nutritional value. Never reuse the formula; conversely, make a new batch for each feeding. Maintain appropriate feeding temperature to prevent accidental crop burns.

Health-18 Birds List



Health–18 Birds List



Health-19

Health-19 is a carefully formulated instant mix to meet the daily growth needs of baby birds with high energy requirements, such as Macaws, African greys, Eclectus parrots, Conures, and similar species.

This hand feeding formulation hails from our esteemed bird breeding farm, one of the India's largest and most reputed establishment.

Now, the benefits enjoyed by our entire bird population are within your reach, ensuring optimal daily nutrition for your cherished baby birds. Experience the healthy growth and vibrant colors with our product.



Ingredients:

Cereals, Milk solids, Vegetable oils and fats, Vegetable protein extracts, Vitamins, Minerals, Prebiotics, Multi-strain probiotics, Multi-enzymes, Natural fruit flavour, Emulsifier and Natural anti-oxidant.

Analytical Constituents:

- Moisture (max): 5%
- Crude protein (min): 20%
- Crude fat (min): 15%
- Crude fibre (max): 1.5%
- Crude ash (max): 7%
- Gross energy: 4300 kcal/kg

Nutritional Additives:

Vitamins A, β- carotene, Vitamin D, Vitamin E, Vitamin K, Vitamin B1, Vitamin B2, Vitamin B3, Vitamin B5, Vitamin B6, Vitamin B7, Vitamin B9, Vitamin B12, VitaminC, Choline chloride Calcium, Phosphorous, Magnesium, Sodium, Iodine, Copper, Manganese, Zinc, Selenium.

Zoo Technical Additives:

Multi-strain probiotics & Multi-enzymes.

Technical Additives:

Natural anti-oxidant.

AGE	VOLUME	
	HEALTH 19	WATER
Day1 to Weaning	1 Part	3 Parts

Storage instruction:

Once opened, keep air tight and store in cool, dry and hygienic conditions.



Procedure for using Hand Feeding Formula



Mix 1 part of hand feeding formula (Health-18/ Health-19) in three parts of warm water (40-42°C).

> Stir the mixture thoroughly to attain a soft and smooth textured porridge.

Feed the mix to the chick, equivalent to 10% of its body weight at right temperature (37-39 °C) using a sterile crop tube, syringe or spoon.

Strictly adhere to the feed preparation pattern to balance the supplementation of vital nutrients.

G

The feeding frequencies per day vary depending on the age and species of baby bird.

Note:

Ensure that all feeding utilities used during feed preparation are clean and sterile. Avoid boiling the hand feeding formula to retain the nutritional value. Never reuse the formula; conversely, make a new batch for each feeding. Maintain appropriate feeding temperature to prevent accidental crop burns.

Health-19 Birds List



Health-19 Birds List



Health-19 Birds List

Scarlet-fronted conure Patagonian conure Cape parrot **Red bellied** parrot Jardin Monk parrots



TM OWNED & MARKETED BY CavinKare Private Limited No.12, Cenotaph Road, Teynampet, Chennai 600 018.

For consumer feedback contact Consumer Care Executive, CavinKare at the Chennai address or Call : 63811 02081

